


INVITATION TO BID STATE OF LOUISIANA DIVISION OF ADMINISTRATION OFFICE OF STATE PURCHASING			BIDS WILL BE PUBLICLY OPENED: MAY 16, 2006 10:00 AM PURCHASING AGENCY NO. : 107001
<p>=====> VENDOR NO. : SOLICITATION : 2206960 FILE NO. : OPENING DATE : 05/16/06</p> <div style="border: 1px solid black; height: 80px; width: 100%; margin-top: 10px;"></div> <p>=====> VENDOR NAME AND ADDRESS</p>		<p>SEE NO. 8 BELOW. RETURN BID TO 10:00 AM</p> <p>2206960 05/16/06</p> <p>OFFICE OF STATE PURCHASING OFFICE OF STATE PURCHASING POST OFFICE BOX 94095 BATON ROUGE, LA 70804-9095</p> <p>BUYER : JOSEPHINE WILLIAMS BUYER PHONE : (225) 342-8032 DATE ISSUED : 04/19/06 REQ. AGENCY : 273000 FOLD HERE--> LA DEPT OF TRANS & DEVELOPMENT AGENCY REQ. NO. : 200139 ISIS REQ. NO. : 1287859 VENDOR PHONE : FISCAL YEAR : 06 CLASS/SUBCLASS : 40539 SCHEDULED BEGIN DATE : 07/01/06 SCHEDULED END DATE : 06/30/07 T-NUMBER : 92435</p>	
<p>FILL IN VENDOR NUMBER (FEIN), NAME AND ADDRESS ABOVE, BEFORE SUBMITTING BID.</p>			
<p><i>DOTD STATEWIDE CONTRACT FOR LUBRICATING OILS AND GREASES</i></p>			
<p>TO BE COMPLETED BY VENDOR</p>			
<p>1. _____ PLEASE REMOVE FROM THIS COMMODITY CODE. 2. _____ DELIVERY WILL BE MADE IN THIS NUMBER OF DAYS AFTER RECEIPT OF ORDER. 3. _____ % CASH DISCOUNT FOR PROMPT PAYMENT IF MADE WITHIN THIRTY (30) DAYS. CASH DISCOUNTS FOR LESS THAN 30 DAYS OR LESS THAN 1% WILL BE ACCEPTED, BUT WILL NOT BE CONSIDERED IN DETERMINING AWARDS. ON INDEFINITE QUANTITY TERM CONTRACTS, CASH DISCOUNTS WILL BE ACCEPTED AND TAKEN BUT WILL NOT BE CONSIDERED IN DETERMINING AWARDS. 4. _____ BID BOND ATTACHED, _____ CERTIFIED CHECK ATTACHED, _____ OTHER, IF REQUIRED. 5. _____ BID REFERENCE NUMBER. (THIS NUMBER WILL APPEAR ON RESULTING ORDER OR CONTRACT).</p>			
<p>INSTRUCTIONS TO BIDDERS</p>			
<p>1. READ THE ENTIRE BID, INCLUDING ALL TERMS AND CONDITIONS AND SPECIFICATIONS. 2. ALL BID PRICES MUST BE TYPED OR WRITTEN IN INK. ANY CORRECTIONS, ERASURES OR OTHER FORMS OF ALTERATION TO UNIT PRICES SHOULD BE INITIALED BY THE BIDDER. 3. THIS BID IS TO BE MANUALLY SIGNED IN INK. FOLD HERE--> 4. BID PRICES SHALL INCLUDE DELIVERY OF ALL ITEMS F.O.B. DESTINATION OR AS OTHERWISE PROVIDED. BIDS CONTAINING "PAYMENT IN ADVANCE" OR "C.O.D" REQUIREMENTS MAY BE REJECTED. PAYMENT IS TO BE MADE WITHIN 30 DAYS AFTER RECEIPT OF PROPERLY EXECUTED INVOICE OR DELIVERY, WHICHEVER IS LATER. 5. AMOUNT OF BID BOND REQUIRED: _____ N/A _____ 6. AMOUNT OF PERFORMANCE BOND, IF REQUIRED. _____ OR _____ 0% _____ OF BID. 7. DESIRED DELIVERY: _____ 010DAYS ARO _____ 8. TO ASSURE CONSIDERATION OF YOUR BID, ALL BIDS AND ADDENDA SHOULD BE RETURNED IN AN ENVELOPE OR PACKAGE CLEARLY MARKED WITH THE BID OPENING DATE AND THE BID NUMBER, OR SUBMITTED IN THE SPECIAL ENVELOPE IF FURNISHED FOR THAT PURPOSE. 9. BIDS SUBMITTED ARE SUBJECT TO PROVISIONS OF THE LAWS OF THE STATE OF LOUISIANA INCLUDING BUT NOT LIMITED TO L.R.S. 39:1551-1736; PURCHASING RULES AND REGULATIONS; EXECUTIVE ORDERS; STANDARD TERMS AND CONDITIONS; SPECIAL CONDITIONS; AND SPECIFICATIONS LISTED IN THIS SOLICITATION. 10. IMPORTANT: BY SIGNING THE BID, THE BIDDER CERTIFIES COMPLIANCE WITH ALL INSTRUCTIONS TO BIDDERS, TERMS, CONDITIONS AND SPECIFICATIONS, AND FURTHER CERTIFIES THAT THIS BID IS MADE WITHOUT COLLUSION OR FRAUD. THIS BID IS TO BE MANUALLY SIGNED IN INK BY A PERSON AUTHORIZED TO BIND THE VENDOR (SEE NO.30). ALL BID INFORMATION SHALL BE MADE WITH INK OR TYPEWRITTEN.</p>			
VENDOR PHONE NUMBER: FAX NUMBER:	TITLE	DATE	
SIGNATURE OF AUTHORIZED BIDDER - SEE NO. 30, PAGE 3. (MUST BE SIGNED)		NAME OF BIDDER (TYPED OR PRINTED)	

STANDARD TERMS & CONDITIONS		INVITATION TO BID	
NUMBER : 2206960 OPEN DATE: 05/16/06 TIME: 10:00 AM T-NUMBER : 92435		BIDDER:	PAGE 2
<p>11 ADDRESS ALL INQUIRIES AND CORRESPONDENCE TO THE BUYER AT THE PHONE AND ADDRESS SHOWN ABOVE.</p> <p>12. CONFERENCE: NA NA NA</p> <p>13. BID FORMS. ALL WRITTEN BIDS, UNLESS OTHERWISE PROVIDED FOR, MUST BE SUBMITTED ON, AND IN ACCORDANCE WITH, FORMS PROVIDED, PROPERLY SIGNED (SEE NO. 30). BIDS SUBMITTED IN THE FOLLOWING MANNER WILL NOT BE ACCEPTED: A. BID CONTAINS NO SIGNATURE INDICATING INTENT TO BE BOUND; B. BID FILLED OUT IN PENCIL; AND C. BID NOT SUBMITTED ON THE STATE'S STANDARD FORMS.</p> <p>BIDS MUST BE RECEIVED AT THE ADDRESS SPECIFIED IN THE SOLICITATION PRIOR TO BID OPENING TIME IN ORDER TO BE CONSIDERED. TELEGRAPHIC AND FAX ALTERATIONS TO BIDS RECEIVED BEFORE BID OPENING TIME WILL BE CONSIDERED PROVIDED FORMAL BID AND WRITTEN ALTERATION HAVE BEEN RECEIVED AND TIME-STAMPED BEFORE BID OPENING TIME. ENTIRE BID SHOULD BE RETURNED, EXCEPT ITEM PAGES NOT BID.</p> <p>14. STANDARDS OF QUALITY. ANY PRODUCT OR SERVICE BID SHALL CONFORM TO ALL APPLICABLE FEDERAL AND STATE LAWS AND REGULATIONS AND THE SPECIFICATIONS CONTAINED IN THE SOLICITATION. UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION, ANY MANUFACTURER'S NAME, TRADE NAME, BRAND NAME, OR CATALOG NUMBER USED IN THE SPECIFICATION IS FOR THE PURPOSE OF DESCRIBING THE STANDARD OF QUALITY, PERFORMANCE, AND CHARACTERISTICS DESIRED AND IS NOT INTENDED TO LIMIT OR RESTRICT COMPETITION. BIDDER MUST SPECIFY THE BRAND AND MODEL NUMBER OF THE PRODUCT OFFERED IN HIS BID. BIDS NOT SPECIFYING BRAND AND MODEL NUMBER SHALL BE CONSIDERED AS OFFERING THE EXACT PRODUCTS SPECIFIED IN THE SOLICITATION.</p> <p>15. DESCRIPTIVE INFORMATION. BIDDERS PROPOSING AN EQUIVALENT BRAND OR MODEL SHOULD SUBMIT WITH THE BID INFORMATION (SUCH AS ILLUSTRATIONS, DESCRIPTIVE LITERATURE, TECHNICAL DATA) SUFFICIENT FOR STATE OF LOUISIANA TO EVALUATE QUALITY, SUITABILITY, AND COMPLIANCE WITH THE SPECIFICATIONS IN THE SOLICITATION. FAILURE TO SUBMIT DESCRIPTIVE INFORMATION MAY CAUSE BID TO BE REJECTED. ANY CHANGE MADE TO A MANUFACTURER'S PUBLISHED SPECIFICATIONS SUBMITTED FOR A PRODUCT SHALL BE VERIFIABLE BY THE MANUFACTURER. IF ITEM(S) BID DO NOT FULLY COMPLY WITH SPECIFICATIONS (INCLUDING BRAND AND/OR PRODUCT NUMBER), BIDDER MUST STATE IN WHAT RESPECT ITEM(S) DEVIATE. FAILURE TO NOTE EXCEPTIONS ON THE BID FORM WILL NOT RELIEVE THE SUCCESSFUL BIDDER(S) FROM SUPPLYING THE ACTUAL PRODUCTS REQUESTED.</p> <p>16. BID OPENING. BIDDERS MAY ATTEND THE BID OPENING, BUT NO INFORMATION OR OPINIONS CONCERNING THE ULTIMATE CONTRACT AWARD WILL BE GIVEN AT THE BID OPENING OR DURING THE EVALUATION PROCESS. BIDS MAY BE EXAMINED WITHIN 72 HOURS AFTER BID OPENING. INFORMATION PERTAINING TO COMPLETED FILES MAY BE SECURED BY VISITING THE STATE OF LOUISIANA DURING NORMAL WORKING HOURS. WRITTEN BID TABULATIONS WILL NOT BE FURNISHED.</p> <p>17. AWARDS. THE STATE OF LOUISIANA RESERVES THE RIGHT TO AWARD ITEMS SEPARATELY, GROUPED OR ON AN ALL-OR-NONE BASIS AND TO REJECT ANY OR ALL BIDS AND WAIVE ANY INFORMALITIES.</p> <p>18. PRICES. UNLESS OTHERWISE SPECIFIED BY THE STATE OF LOUISIANA IN THE SOLICITATION, BID PRICES MUST BE COMPLETE, INCLUDING TRANSPORTATION PREPAID BY BIDDER TO DESTINATION AND FIRM FOR ACCEPTANCE FOR A MINIMUM OF 30 DAYS. IF ACCEPTED, PRICES MUST BE FIRM FOR THE CONTRACTUAL PERIOD. BIDS OTHER THAN F.O.B. DESTINATION MAY BE REJECTED. PRICES SHOULD BE QUOTED IN THE UNIT (EACH, BOX, CASE, ETC.) AS SPECIFIED IN THE SOLICITATION.</p> <p>19. DELIVERIES. BIDS MAY BE REJECTED IF THE DELIVERY TIME INDICATED IS LONGER THAN THAT SPECIFIED IN THE SOLICITATION.</p> <p>20. TAXES. VENDOR IS RESPONSIBLE FOR INCLUDING ALL APPLICABLE TAXES IN THE BID PRICE. STATE AGENCIES ARE EXEMPT FROM ALL STATE AND LOCAL SALES AND USE TAXES.</p>			

STANDARD TERMS & CONDITIONS		INVITATION TO BID	
NUMBER : 2206960 OPEN DATE: 05/16/06 TIME: 10:00 AM T-NUMBER : 92435		BIDDER:	PAGE 3
<p>21. NEW PRODUCTS. UNLESS SPECIFICALLY CALLED FOR IN THE SOLICITATION, ALL PRODUCTS FOR PURCHASE MUST BE NEW, NEVER PREVIOUSLY USED, AND THE CURRENT MODEL AND/OR PACKAGING. NO REMANUFACTURED, DEMONSTRATOR, USED OR IRREGULAR PRODUCT WILL BE CONSIDERED FOR PURCHASE UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION. THE MANUFACTURER'S STANDARD WARRANTY WILL APPLY UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION.</p> <p>22. CONTRACT RENEWALS. UPON AGREEMENT OF THE STATE OF LOUISIANA AGENCY AND THE CONTRACTOR, A TERM CONTRACT MAY BE EXTENDED FOR 2 ADDITIONAL 12-MONTH PERIODS AT THE SAME PRICES, TERMS AND CONDITIONS. IN SUCH CASES, THE TOTAL CONTRACT TERM CANNOT EXCEED 36 MONTHS.</p> <p>23. CONTRACT CANCELLATION. THE STATE OF LOUISIANA HAS THE RIGHT TO CANCEL ANY CONTRACT, IN ACCORDANCE WITH PURCHASING RULES AND REGULATIONS, FOR CAUSE, INCLUDING BUT NOT LIMITED TO, THE FOLLOWING: (1) FAILURE TO DELIVER WITHIN THE TIME SPECIFIED IN THE CONTRACT; (2) FAILURE OF THE PRODUCT OR SERVICE TO MEET SPECIFICATIONS, CONFORM TO SAMPLE QUALITY OR TO BE DELIVERED IN GOOD CONDITION; (3) MISREPRESENTATION BY THE CONTRACTOR; (4) FRAUD, COLLUSION, CONSPIRACY OR OTHER UNLAWFUL MEANS OF OBTAINING ANY CONTRACT WITH THE STATE; (5) CONFLICT OF CONTRACT PROVISIONS WITH CONSTITUTIONAL OR STATUTORY PROVISIONS OF STATE OR FEDERAL LAW; (6) ANY OTHER BREACH OF CONTRACT.</p> <p>24. DEFAULT OF CONTRACTOR. FAILURE TO DELIVER WITHIN THE TIME SPECIFIED IN THE BID WILL CONSTITUTE A DEFAULT AND MAY CAUSE CANCELLATION OF THE CONTRACT. WHERE THE STATE HAS DETERMINED THE CONTRACTOR TO BE IN DEFAULT, THE STATE RESERVES THE RIGHT TO PURCHASE ANY OR ALL PRODUCTS OR SERVICES COVERED BY THE CONTRACT ON THE OPEN MARKET AND TO CHARGE THE CONTRACTOR WITH COST IN EXCESS OF THE CONTRACT PRICE. UNTIL SUCH ASSESSED CHARGES HAVE BEEN PAID, NO SUBSEQUENT BID FROM THE DEFAULTING CONTRACTOR WILL BE CONSIDERED.</p> <p>25. ORDER OF PRIORITY. IN THE EVENT THERE IS A CONFLICT BETWEEN THE INSTRUCTIONS TO BIDDERS OR STANDARD CONDITIONS AND THE SPECIAL CONDITIONS, THE SPECIAL CONDITIONS SHALL GOVERN.</p> <p>26. APPLICABLE LAW. ALL CONTRACTS SHALL BE CONSTRUED IN ACCORDANCE WITH AND GOVERNED BY THE LAWS OF THE STATE OF LOUISIANA.</p> <p>27. COMPLIANCE WITH CIVIL RIGHTS LAWS. BY SUBMITTING AND SIGNING THIS BID, BIDDER AGREES TO ABIDE BY THE REQUIREMENTS OF THE FOLLOWING AS APPLICABLE: TITLE VI AND VII OF THE CIVIL RIGHTS ACT OF 1964, AS AMENDED BY THE EQUAL OPPORTUNITY ACT OF 1972, FEDERAL EXECUTIVE ORDER 11246, FEDERAL REHABILITATION ACT OF 1973, AS AMENDED, THE VETERAN'S READJUSTMENT ASSISTANCE ACT OF 1974, TITLE IX OF THE EDUCATION AMENDMENTS OF 1972, THE AGE ACT OF 1975, AND BIDDER AGREES TO ABIDE BY THE REQUIREMENTS OF THE AMERICANS WITH DISABILITIES ACT OF 1990. BIDDER AGREES NOT TO DISCRIMINATE IN ITS EMPLOYMENT PRACTICES, AND WILL RENDER SERVICES UNDER ANY CONTRACT ENTERED INTO AS A RESULT OF THIS SOLICITATION WITHOUT REGARD TO RACE, COLOR, RELIGION, SEXUAL ORIENTATION, NATIONAL ORIGIN, VETERAN STATUS, POLITICAL AFFILIATION, OR DISABILITIES. ANY ACT OF DISCRIMINATION COMMITTED BY BIDDER, OR FAILURE TO COMPLY WITH THESE STATUTORY OBLIGATIONS WHEN APPLICABLE, SHALL BE GROUNDS FOR TERMINATION OF ANY CONTRACT ENTERED INTO AS A RESULT OF THIS SOLICITATION.</p> <p>28. SPECIAL ACCOMMODATION. ANY "QUALIFIED INDIVIDUAL WITH A DISABILITY" AS DEFINED BY THE AMERICANS WITH DISABILITIES ACT WHO HAS SUBMITTED A BID AND DESIRES TO ATTEND THE BID OPENING, MUST NOTIFY THIS OFFICE IN WRITING NOT LATER THAN SEVEN DAYS PRIOR TO THE BID OPENING DATE OF THEIR NEED FOR SPECIAL ACCOMMODATIONS. IF THE REQUEST CANNOT BE REASONABLY PROVIDED, THE INDIVIDUAL WILL BE INFORMED PRIOR TO THE BID OPENING.</p> <p>29. INDEMNITY. CONTRACTOR AGREES, UPON RECEIPT OF WRITTEN NOTICE OF A CLAIM OR ACTION, TO DEFEND THE CLAIM OR ACTION, OR TAKE OTHER APPROPRIATE MEASURE, TO INDEMNIFY, AND HOLD HARMLESS, THE STATE, ITS OFFICERS, ITS AGENTS AND ITS EMPLOYEES FROM AND AGAINST ALL CLAIMS AND ACTIONS FOR BODILY INJURY, DEATH OR PROPERTY DAMAGES CAUSED BY THE FAULT OF THE CONTRACTOR, ITS OFFICERS, ITS AGENTS, OR ITS EMPLOYEES. CONTRACTOR IS OBLIGATED TO INDEMNIFY ONLY TO THE EXTENT OF THE FAULT OF THE CONTRACTOR, ITS OFFICERS, ITS AGENTS, OR ITS EMPLOYEES. HOWEVER, THE CONTRACTOR SHALL HAVE NO OBLIGATION AS SET FORTH ABOVE WITH RESPECT TO ANY CLAIM OR ACTION FROM BODILY INJURY, DEATH OR PROPERTY DAMAGES ARISING OUT OF THE FAULT OF THE STATE, ITS OFFICERS, ITS AGENTS OR ITS EMPLOYEES.</p> <p>30. SIGNATURE AUTHORITY. IN ACCORDANCE WITH L.R.S. 39:1594 (ACT 121), THE PERSON SIGNING THE BID MUST BE: 1. A CURRENT CORPORATE OFFICER, PARTNERSHIP MEMBER OR OTHER INDIVIDUAL SPECIFICALLY AUTHORIZED TO SUBMIT A BID AS REFLECTED IN THE APPROPRIATE RECORDS ON FILE WITH THE SECRETARY OF STATE; OR 2. AN INDIVIDUAL AUTHORIZED TO BIND THE VENDOR AS REFLECTED BY A CORPORATE RESOLUTION, CERTIFICATE OR AFFIDAVIT; OR 3. OTHER DOCUMENTS INDICATING AUTHORITY WHICH ARE ACCEPTABLE TO THE PUBLIC ENTITY.</p>			

SPECIAL TERMS & CONDITIONS		INVITATION TO BID	
NUMBER : 2206960 OPEN DATE: 05/16/06 TIME: 10:00 AM T-NUMBER : 92435		BIDDER:	PAGE 4

1 BID DELIVERY INSTRUCTIONS FOR STATE PURCHASING:

BIDDERS ARE HEREBY ADVISED THAT THE U.S. POSTAL SERVICE DOES NOT MAKE DELIVERIES TO OUR PHYSICAL LOCATION.

BIDS MAY BE MAILED THROUGH THE U.S. POSTAL SERVICE TO OUR BOX AT:
 OFFICE OF STATE PURCHASING
 P O BOX 94095
 BATON ROUGE LA 70804-9095

BIDS MAY BE DELIVERED BY HAND OR COURIER SERVICE TO OUR PHYSICAL LOCATION AS FOLLOWS:

OFFICE OF STATE PURCHASING
 CLAIBORNE BUILDING, SUITE 2-160
 1201 NORTH THIRD STREET
 BATON ROUGE, LA 70802

BIDDER IS SOLELY RESPONSIBLE FOR ENSURING THAT ITS COURIER SERVICE PROVIDER MAKES INSIDE DELIVERIES TO OUR PHYSICAL LOCATION. THE OFFICE OF STATE PURCHASING IS NOT RESPONSIBLE FOR ANY DELAYS CAUSED BY THE BIDDER'S CHOSEN MEANS OF BID DELIVERY.

BIDDER IS SOLELY RESPONSIBLE FOR THE TIMELY DELIVERY OF ITS BID. FAILURE TO MEET THE BID OPENING DATE & TIME SHALL RESULT IN REJECTION OF THE BID.

 PUBLICIZING AWARDS. IN ACCORDANCE WITH L.A.C.34:I.535, UNSUCCESSFUL BIDDERS WILL BE NOTIFIED OF THE AWARD PROVIDED THAT THEY SUBMIT WITH THEIR BID A SELF-ADDRESSED STAMPED ENVELOPE REQUESTING THIS INFORMATION.

ATTENTION:

RECEIPT OF A SOLICITATION OR AWARD CANNOT BE RELIED UPON AS AN ASSURANCE OF RECEIVING FUTURE SOLICITATIONS. IN ORDER TO RECEIVE FUTURE SOLICITATIONS/AWARDS FROM THIS OFFICE, YOU MUST ENROLL IN THE PROPER CATEGORY ON LAPAC OR ON STATE PURCHASING'S AGPS BIDDERS LIST. ENROLLMENT IN LAPAC IS FREE AND PROVIDES EMAIL NOTIFICATION OF BID OPPORTUNITIES BASED UPON COMMODITIES THAT YOU SELECT.

2 COMPLIANCE WITH CIVIL RIGHTS LAWS. BY SUBMITTING AND SIGNING THIS SOLICITATION, THE BIDDER AGREES TO ABIDE BY THE REQUIREMENTS OF THE FOLLOWING AS APPLICABLE: TITLE VI AND TITLE VII OF THE CIVIL RIGHTS ACT OF 1964, AS AMENDED BY THE EQUAL OPPORTUNITY ACT OF 1972, FEDERAL EXECUTIVE ORDER 11246, THE FEDERAL REHABILITATION ACT OF 1973, AS AMENDED, THE VIETNAM ERA VETERAN'S READJUSTMENT ASSISTANCE ACT OF 1974, TITLE IX OF THE EDUCATION AMENDMENTS OF 1972, THE AGE ACT OF 1975, AND BIDDER AGREES TO ABIDE BY THE REQUIREMENTS OF THE AMERICANS WITH DISABILITIES ACT OF 1990. BIDDER AGREES NOT TO DISCRIMINATE IN ITS EMPLOYMENT PRACTICES, AND WILL RENDER SERVICES UNDER ANY CONTRACT ENTERED INTO AS A RESULT OF THIS SOLICITATION, WITHOUT REGARD TO RACE,

SPECIAL TERMS & CONDITIONS		INVITATION TO BID	
NUMBER : 2206960 OPEN DATE: 05/16/06 TIME: 10:00 AM T-NUMBER : 92435		BIDDER:	PAGE 5
<p>COLOR, RELIGION, SEX, SEXUAL ORIENTATION, NATIONAL ORIGIN, VETERAN STATUS, POLITICAL AFFILIATION, OR DISABILITIES. ANY ACT OF DISCRIMINATION COMMITTED BY BIDDER, OR FAILURE TO COMPLY WITH THESE STATUTORY OBLIGATIONS WHEN APPLICABLE, SHALL BE GROUNDS FOR TERMINATION OF ANY CONTRACT ENTERED INTO AS A RESULT OF THIS SOLICITATION.</p> <p>3 PREFERENCE. IN ACCORDANCE WITH LOUISIANA REVISED STATUTES 39:1595, A PREFERENCE MAY BE ALLOWED FOR PRODUCTS MANUFACTURED, PRODUCED, GROWN, OR ASSEMBLED IN LOUISIANA OF EQUAL QUALITY.</p> <p>DO YOU CLAIM THIS PREFERENCE? YES_____</p> <p>SPECIFY LINE NUMBER (S) : _____</p> <p>_____</p> <p>SPECIFY LOCATION WITHIN LOUISIANA WHERE THIS PRODUCT IS MANUFACTURED, PRODUCED, GROWN OR ASSEMBLED: _____</p> <p>_____</p> <p>(NOTE: IF MORE SPACE IS REQUIRED, INCLUDE ON SEPARATE SHEET.)</p> <p>DO YOU HAVE A LOUISIANA BUSINESS WORKFORCE? YES_____ NO_____</p> <p>IF SO, DO YOU CERTIFY THAT AT LEAST FIFTY PERCENT (50%) OF YOUR LOUISIANA BUSINESS WORKFORCE IS COMPRISED OF LOUISIANA RESIDENTS?</p> <p>YES_____ NO_____</p> <p>FAILURE TO SPECIFY ABOVE INFORMATION MAY CAUSE ELIMINATION FROM PREFERENCES. PREFERENCES SHALL NOT APPLY TO SERVICE CONTRACTS.</p> <p>4 CANCELLATION THE STATE OF LOUISIANA RESERVES THE RIGHT TO CANCEL THIS CONTRACT WITH THIRTY (30) DAYS WRITTEN NOTICE.</p> <p>5 IF BIDDING OTHER THAN SPECIFIED, SUFFICIENT INFORMATION SHOULD BE ENCLOSED WITH THE BID IN ORDER TO DETERMINE QUALITY, SUITABILITY, AND COMPLIANCE WITH THE SPECIFICATIONS.</p> <p>FAILURE TO COMPLY WITH THIS REQUEST MAY ELIMINATE YOUR BID FROM CONSIDERATION.</p> <p>6 THE ABOVE QUANTITIES ARE ESTIMATED TO BE THE AMOUNT NEEDED. IN THE EVENT A GREATER OR LESSER QUANTITY IS NEEDED, THE RIGHT IS RESERVED BY THE STATE OF LOUISIANA TO INCREASE OR DECREASE THE AMOUNT, AT THE UNIT PRICE STATED IN THE BID.</p> <p>7 AT THE OPTION OF THE STATE OF LOUISIANA AND ACCEPTANCE BY THE CONTRACTOR, THIS CONTRACT MAY BE EXTENDED FOR TWO ADDITIONAL TWELVE (12) MONTH PERIODS AT THE SAME PRICE, TERMS AND CONDITIONS. TOTAL CONTRACT TIME MAY NOT EXCEED THIRTY-SIX (36) MONTHS.</p>			

SPECIAL TERMS & CONDITIONS		INVITATION TO BID	
NUMBER : 2206960 OPEN DATE: 05/16/06 T-NUMBER : 92435		BIDDER:	PAGE 6
<div>8 THIS CONTRACT SHALL BE EFFECTIVE FOR THE PERIOD BEGINNING JULY 1, 2006 OR DATE OF AWARD, WHICHEVER IS LATER, AND ENDING JUNE 30, 2007.</div>			

PRICE SHEET		INVITATION TO BID			
NUMBER : 2206960 OPEN DATE : 05/16/06 TIME: 10:00 AM T-NUMBER : 92435		BIDDER:			PAGE 7
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED TOTAL
00001	_____ _____ UNLESS SPECIFIED ELSEWHERE SHIP TO: LA DEPT OF TRANS & DEVELOPMENT PROCUREMENT DOTD PROCUREMENT RM 304M 1201 CAPITOL ACCESS BATON ROUGE , LA 70802 COMMODITY CODE: 405-39-000000 CONTRACT FOR LUBRICANTS, OILS AND GREASES FOR A PERIOD OF 12 MONTHS BEGINNING JULY 1, 2006 AND ENDING JUNE 30, 2007 IN ACCORDANCE WITH THE ATTACHED DOTD SPECIFICATIONS ***** TRACTOR FLUID, UNIVERSAL, 5 GAL./ CAN, AS PER DOTD SPEC. NO. 366-005, DATED 8/23/05 (DOTD STOCK NO. 48-29-3000) SPECIFY BRAND (& NUMBER IF APPLICABLE) _____	2940	GAL	_____	_____
00002	COMMODITY CODE: 405-39-000000 FLUID, TRANSMISSION,AUTOMATIC,DEXRON III QUART/CAN AS PER DOTD SPECIFICATION NO. 366-006 DATED 8/23/05 (DOTD STOCK NO. 48-29-4400) SPECIFY BRAND (& NUMBER IF APPLICABLE) _____	353	QT	_____	_____
00003	COMMODITY CODE: 405-39-000000 FLUID, TRANSMISSION,AUTOMATIC, DEXON III 55 GAL./DRUM AS PER DOTD	686	GAL	_____	_____


PRICE SHEET		INVITATION TO BID			
NUMBER : 2206960 OPEN DATE : 05/16/06 TIME: 10:00 AM T-NUMBER : 92435		BIDDER:			PAGE 8
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED TOTAL
	SPECIFICATION NO. 366-006 DATED 8/23/05 (STOCK NO. 48-29-4420) SPECIFY BRAND (& NUMBER IF APPLICABLE)				
00004	COMMODITY CODE: 405-39-000000 GREASE, CHASSIS, MULTI-PURPOSE, CARTRIDGE, 14.5 OZ. AS PER QPL 55 AND DOTD SPECIFICATION NO. 366-003, DATED 8/23/05 (DOTD STOCK NO. 48-38-2470) SPECIFY BRAND (& NUMBER IF APPLICABLE)	6300	EACH		
00005	COMMODITY CODE: 405-39-000000 GREASE, CHASSIS, MULTI-PURPOSE, EP-2, 35 LB. PAIL AS PER QPL 55 AND DOTD SPECIFICATION NO. 366-003 DATED 8/23/2005 (DOTD STOCK NO. 48-38-2484) SPECIFY BRAND (& NUMBER IF APPLICABLE)	2345	LB		
00006	COMMODITY CODE: 405-39-000000 OIL, GEAR, SAE 80W-90 AND 85W-90 35 LB. PAIL AS PER QPL 54 AND DOTD SPECIFICATION 366-002, DATED 8/23/05 (DOTD STOCK NO. 48-60-5522)	4307	LB		

PRICE SHEET		INVITATION TO BID			
NUMBER : 2206960 OPEN DATE : 05/16/06 TIME: 10:00 AM T-NUMBER : 92435		BIDDER:			PAGE 9
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED TOTAL
	SPECIFY BRAND (& NUMBER IF APPLICABLE)				
00007	COMMODITY CODE: 405-39-000000 OIL, GEAR, SAE 80W-90 AND 85W-90 120 LB. DRUM AS PER QPL 54 AND DOTD SPEC. NO. 366-002 DATED 8/23/05 (DOTD STOCK NO. 48-60-5525) SPECIFY BRAND (& NUMBER IF APPLICABLE)	600	LB		
00008	COMMODITY CODE: 405-39-000000 OIL, GEAR, SAE 85W-140, 35 LB. PAIL AS PER QPL 54 AND DOTD SPECIFICATION NO. 366-002, DATED 8/23/05 (DOTD STOCK NO. 48-60-5560) SPECIFY BRAND (& NUMBER IF APPLICABLE)	490	LB		
00009	COMMODITY CODE: 405-39-000000 OIL, GEAR, SAE 85W-140, 120 LB. DRUM, AS PER QPL 54 AND DOTD SPECIFICATIONS NO. 366-002, DATED 8/23/05. (DOTD STOCK NO. 48-60-5565) SPECIFY BRAND (& NUMBER IF APPLICABLE)	480	LB		
00010	COMMODITY CODE: 405-39-000000	2428	GAL		

PRICE SHEET		INVITATION TO BID			
NUMBER : 2206960 OPEN DATE : 05/16/06 TIME: 10:00 AM T-NUMBER : 92435		BIDDER:			PAGE 10
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED TOTAL
00011	OIL, HYDRAULIC, ISO 32 AW, 55 GAL./DRUM AS PER QPL 56 AND DOTD SPEC. NO 366-004 DATED 6/86 (DOTD STOCK NO. 48-61-3240) SPECIFY BRAND (& NUMBER IF APPLICABLE)	4103	GAL		
00012	COMMODITY CODE: 405-39-000000 OIL, HYDRAULIC, ISO 46 AW, 55 GAL./DRUM AS PER QPL 56 AND DOTD SPECIFICATION NO. 366-004 DATED 6/86 (DOTD STOCK NO. 48-61-3250) SPECIFY BRAND (& NUMBER IF APPLICABLE)	1380	GAL		
00013	COMMODITY CODE: 405-39-000000 OIL, LUBRICATING, INTERNAL COMBUSTION DIESEL ENGINE AND GASOLINE ENGINE, SAE 30, 55 GAL./DRUM AS PER QPL 53 AND DOTD SPECIFICATION NO. 366-001, DATED 3/27/06 (DOTD STOCK NO. 48-62-0430)	42648	QT		

PRICE SHEET		INVITATION TO BID			
NUMBER : 2206960 OPEN DATE : 05/16/06 TIME: 10:00 AM T-NUMBER : 92435		BIDDER:			PAGE 11
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED TOTAL
_____	SPECIFY BRAND (& NUMBER IF APPLICABLE) _____				
00014	COMMODITY CODE: 405-39-000000 OIL, LUBRICATING, INTERNAL COMBUSTION DIESEL ENGINE AND GASOLINE ENGINE, SAE 40, 55 GAL./DRUM AS PER QPL 53 AND DOTD SPECIFICATION NO. 366-001, DATED 3/27/06 (DOTD STOCK NO. 48-62-0440) SPECIFY BRAND (& NUMBER IF APPLICABLE) _____	2768	QT	_____	_____
00015	COMMODITY CODE: 405-39-000000 OIL, LUBRICATING, INTERNAL COMBUSTION DIESEL ENGINE AND GASOLINE ENGINE, SAE 10W/30, 55 GAL./ DRUM AS PER QPL 53/ AND DOTD SPEC. NO. 366-001, DATED 3/27/06 (DOTD STOCK NO. 48-62-0510) SPECIFY BRAND (& NUMBER IF APPLICABLE) _____	40480	QT	_____	_____
00016	COMMODITY CODE: 405-39-000000 OIL, LUBRICATING, INTERNAL COMBUSTION DIESEL ENGINE AND GASOLINE ENGINE, SAE 15W/40 55 GAL./ DRUM AS PER QPL 53 AND DOTD SPEC. NO. 366-001, DATED 3/27/06 (DOTD STOCK NO. 48-62-0515)	138213	QT	_____	_____

PRICE SHEET		INVITATION TO BID			
NUMBER : 2206960 OPEN DATE : 05/16/06 TIME: 10:00 AM T-NUMBER : 92435		BIDDER:			PAGE 12
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED TOTAL
	SPECIFY BRAND (& NUMBER IF APPLICABLE) _____				
00017	COMMODITY CODE: 405-39-000000 OIL LUBRICATING, F/2 CYCLE ENGINE, OUTBOARD, NMMA CERT. F/TC-W SERVICE, PINT./CAN AS PER DOTD SPECIFICATION NO. 366-009, DATED 8/23/05 (DOTD STOCK NO. 48-64-4390) SPECIFY BRAND (& NUMBER IF APPLICABLE) _____	155	PINT	_____	_____
00018	COMMODITY CODE: 405-39-000000 OIL, LUBRICATING, INTERNAL COMBUSTION DIESEL ENGINE AND GASOLINE ENGINE SAE 10W/30, ONE QUART/CONTAINER AS PER QPL 53 AND DOTD SPECIFICATION NO. 366-001, DATED 3/27/06 (DOTD STOCK NO. 48-62-0511-NEW) NOTE: ANY BIDDER QUOTING ON A PRODUCT NOT ON THE QUALIFIED PRODUCTS LISTS MUST HAVE PRIOR APPROVAL BEFORE BEING CONSIDERED FOR AWARD SPECIFY BRAND (& NUMBER IF APPLICABLE) _____	500	QT	_____	_____
00019	REQUISITION LINE CANCELLED				



Stock Number
48-29-3000

FOR REQ. ITEM #1

DOTD Spec. 366-005
Rev. August 23, 2005

LOUISIANA
DEPARTMENT OF TRANSPORTATION AND DEVELOPMENT
SPECIFICATIONS

FLUID, UNIVERSAL TRACTOR

Fluid, universal tractor, five gallon can, Texaco TDH, Lubriguard, Crown Unitrac No. 1681, Exxon Torque Fluid No. 56, Amoco No. 1000, Shell Donax T-D, Conoco Powertrain III, Citgo No. 0985, Super Trac-SUS 35, or approved equal.

Bidders quoting on alternate brands to furnish descriptive literature with bid. If descriptive literature is not furnished bid will not be considered for award.

Low bidder may be required to submit a sample for alternate brands at vendor's expense. If requested, sample must be received within ten (10) days from date of request. Package should be clearly labeled with company name, brand name and number and DOTD's Purchase Requisition Number.

Stock Number
See Below

FOR REQ ITEMS
#2 & 3

DOTD Spec. 366-006
Rev. August 23, 2005

LOUISIANA
DEPARTMENT OF TRANSPORTATION AND DEVELOPMENT
SPECIFICATIONS

FLUID, TRANSMISSION

48-29-4400

Fluid, transmission, automatic, quart can, Dexron III, Texaco 1841, Lubriguard, Crown ATF, Exxon ATF, Citgo ATF, Conoco, Amoco, Gulf, Lubritech, Shell Donax T-G, TSO Valve Line Dexron III, Texaco ATF Mercon Dexron III No. 1854 or approved equal.

48-29-4420

Fluid, transmission, automatic, 55 gallon drum, Dexron III, Texaco 1841, Lubriguard, Crown ATF, Exxon ATF, Citgo ATF, Conoco, Amoco, Gulf, Lubritech, Shell Donax T-G, TSO Valve Line Dexron III, Texaco ATF Mercon Dexron III No. 1854, Super S Dexron III/Mercon Part No. SUS 44, GHR 8054, or approved equal.

Bidders quoting on alternate brands to furnish descriptive literature with bid. If descriptive literature is not furnished bid will not be considered for award.

Note: Descriptive literature must state Dexron III.

Low bidder may be required to submit a sample for alternate brands at vendor's expense. If requested, sample must be received within ten (10) days from date of request. Package should be clearly labeled with company name, brand name and number and DOTD's Purchase Requisition Number.

Stock Number
48-38-2470
48-38-2484

FOR REQ ITEMS
#4 & 5

DOTD Spec. 366-003
Rev. August 23, 2005

**LOUISIANA
DEPARTMENT OF TRANSPORTATION AND DEVELOPMENT
SPECIFICATIONS**

MULTI-PURPOSE GREASE

DESCRIPTION: This grease is a high performance automotive and equipment lubricant and shall be multi-purpose to be used for lubrication of chassis, ball joints, water pumps, universal joints, wheel bearings, and other grease lubricated automotive and off-highway equipment components.

GENERAL REQUIREMENTS: This material shall be an approved product on the Department's Qualified Products List No. 55. This grease must be water and heat resistant. It must have good adhesion and sealing properties to protect bearings over long periods of operation and exclude contaminants. The grease must have high film strength, be resistant to heavy loads and shall contain no fillers such as resin, resin oil, talc, wax, powdered mica, clay, asbestos, cork, sawdust or other deleterious impurities.

SPECIFIC REQUIREMENTS: Test methods shall be the latest in effect.

PROPERTY	ASTM TEST METHOD	REQUIREMENT	
		Grade EP-1	Grade EP-2
Penetration @ 77° F, worked	D217	300 – 340	265 - 295
Dropping Point, ° F, min.	D566	325	325
Leakage, gms., max.	D1263	---	5
Type of Soap Base	----	Lithium	

The following tests shall be conducted when deemed necessary.

		Grade EP-1	Grade EP-2
Viscosity, Base Oil, SUS @ 100° F	D88	800 – 1100	800 – 1100
Timken EP, or load lbs., min.	D2509	40	40

The vendor shall certify to the Materials Section that the material meets the above specifications and shall submit a complete analysis of the material.

SAMPLING: Sampling shall be in accordance with the Department's Materials Sampling Manual.

State of Louisiana
Department of Transportation and Development

Qualified Products List 55

MULTI-PURPOSE GREASE

PRODUCT SOURCE CODE	PRODUCT	SOURCE
(A) EP - 1 Stock Nos. 48-38-2478, 48-38-2480, 48-38-2482 & *48-38-2470		
5546 5548	M-25 Red Non-Melt #1 M-25 Red Non-Melt #2	Baton Rouge Industries, Inc. P. O. Box 26 Baker, LA 70714
5513	Premalube EP-1	Certified Lab Div. of NCH Corporation 1300 E. Northgate Dr. Irving, TX 75062
5532 5534	Lube-Shield Maxi-Lube Red	Chemsearch Div. of NCH Corporation P. O. Box 152170 Irving, TX 75015
5514	Dura Lith Grease EP-1	Chevron USA, Inc. P. O. Box 7643 San Francisco, CA 94120
5517	EP Conolith No. 1	Conoco, Inc. P. O. Box 4784 Houston, TX 77210
5529	Lidok EP-1	Exxon Company, USA P. O. Box 14788 Baton Rouge, LA 70898
5542	Super Gun EP-1	Industrial Oils Unlimited, Inc. 7268 West 70 th Street Shreveport, LA 71129

QUALIFIED PRODUCTS LIST 55

Rev. 07-01-04

Page 2 of 4

PRODUCT SOURCE CODE	PRODUCT	SOURCE
(A) EP - 1 (continued) Stock Nos. 48-38-2478, 48-38-2480, 48-38-2482 & *48-38-2470		
5520	Mobilith AW-1	Mobil Oil Corporation 5151 Belt Line Road Suite 600 Dallas, TX 75240
5526	Philube EP-1	Phillips 66 Company Box 1670 Bartlesville, OK 74005
5536	United 424 Lube Fact HDM High-Temperature Grease	United Laboratories, Inc. 320 37 th Avenue St. Charles, IL 60714
5524	Lubriguard Multi-Purpose Lithium EP-1 Grease	Westland Oil Company P. O. Box 8098 Shreveport, LA 71148
(B) EP - 2 Stock Nos. 48-28-2484, 48-38-2486, 48-38-2488 & *48-38-2470		
5512	Amoco Amolith EP2	Amoco Oil Company Technical Services Lab. 2831 Indianapolis Blvd. Whiting, IN 46394
5540	AR-733 Lithium Grease (EP-2)	Armor Research Company 1035 Busch Memorial Highway Pennsauken, NJ 08110
5547 5549	M-28 EP Lithium Complex #1 M-28 EP Lithium Complex #2	Baton Rouge Industries, Inc.
5541	Taslip Lithium High-Temperature Grease EP-2	Cato Oil and Grease Company P. O. Box 26868 Oklahoma City, OK 73126
5533 5535	Maxi-Lube Lube-Shield Plus	Chemsearch

QUALIFIED PRODUCTS LIST 55

Rev. 07-01-04

Page 3 of 4

PRODUCT SOURCE CODE	PRODUCT	SOURCE
(B) EP - 2 (continued)		
Stock Nos. 48-28-2484, 48-38-2486, 48-38-2488 & *48-38-2470		
5515	Dura Lith Grease EP-2	Chevron USA, Inc.
5516	Premium Lithium EP-2	Citgo Petroleum Corporation P. O. Box 3758 Tulsa, OK 74102
5528	EP Conolith No. 2	Conoco, Inc.
5545	ProPlex EP-2	D-A Lubricant Company 1349 West 29 th Street Indianapolis, IN 46208
5518	*Lidok EP2	Exxon Company, USA
5519	Fina Lithium EP2	Fina Oil & Gas P. O. Box 2159 Dallas, TX 75221
5544	Super Gun EP-2	Industrial Oils Unlimited
5538	Moly NRG Super Red Lithium	Kent Oil Company, Inc. P. O. Box 2211 Lakeland, FL 33806
5543	PCL-Red (EP 2)	LubraSystems 1500 E. Northgate Drive Irving, TX 75062
5521	Mobilith AW-2	Mobil Oil Corporation
5527	Philube EP-2	Phillips 66 Company

QUALIFIED PRODUCTS LIST 55

Rev. 07-01-04

Page 4 of 4

PRODUCT SOURCE CODE	PRODUCT	SOURCE
(B) EP - 2 (continued) Stock Nos. 48-28-2484, 48-38-2486, 48-38-2488 & *48-38-2470		
5550	327 Armor Plate	Primrose Oil Co., Inc. P. O. Box 29665 Dallas, TX 75229-0665
5522	*Texaco Multifak EP2 No. 995	Texaco, Inc. P. O. Box 45212, Dept. 386 Baton Rouge, LA 70895
5539	Lithplex Grease (EP-2)	Texas Refinery Corporation P. O. Box 711 Ft. Worth, TX 76101
5537	United 686 Kool Red Extra Heavy-Duty Non-Melt Grease	United Laboratories, Inc.
5523 5530 5531	Multi-Lube Lithium EP2 Special Moly EP Grease Val-Plex EP Grease	Valvoline, Inc. P. O. Box 14000 Lexington, KY 40512
5525	Lubriguard Multi-Purpose Lithium EP-2 Grease	Westland Oil Company

REFERENCE:

DOTD Maintenance Specifications, DOTD 366-003

NOTE:

All material, regardless of prior approval, shall be sampled in accordance with the Materials Sampling Manual and tested for conformance to the original specification. Any deviation in composition or performance from the original sample submitted may result in removal of the product from the qualified list.

No information contained in this list is to be used for promotional purposes.

Stock Number
48-60-5522 48-60-5560
48-60-5525 48-60-5565

FOR REQ. ITEMS
#6, 7, 8 & 9

DOTD Spec. 366-002
Rev. August 23, 2005

**LOUISIANA
DEPARTMENT OF TRANSPORTATION AND DEVELOPMENT
SPECIFICATIONS**

GEAR LUBRICANTS FOR TRANSMISSIONS AND DIFFERENTIALS

DESCRIPTION: These specifications cover extreme pressure, multi-purpose gear oil for lubrication of transmissions, differentials, steering gears (manual), hypoid gears, oil-lubricated universal joints, certain heavy duty equipment and other gear applications.

GENERAL REQUIREMENTS: This material shall be an approved product listed on Qualified Products List No. 54. This lubricant shall have extreme pressure additives and antifoam inhibitors, and shall contain no fillers such as resin, resin oil, talc, wax, powdered mica, clay, asbestos, cork, sawdust or other deleterious impurities. All tests on gear lubricants will be made on the finished product.

SPECIFIC REQUIREMENTS: Test methods shall be the latest in effect.

Property	ASTM Test Method	80W	<u>Requirement</u>	
			S.A.E. Grades 85W – 90	85W - 140
Flash Point, ° F, min.	D 92	325	350	350
Pour Point, ° F, max.	D 97	-10	0	+20
Viscosity Index, min.	D 2270*	85	85	85
Viscosity, SUS @ 210° F	D 88	45 Min.	75 - 120	120 - 200

*Viscosity values used in the calculation of viscosity index shall be derived from tests for viscosity SUS @ 100° F, and viscosity SUS @ 210° F by ASTM D 88.

In addition to meeting the above tests, the oil shall conform to Federal Specification MIL-L-2105C lubricating oil, gear, multi-purpose.

SAMPLING: Sampling shall be in accordance with the Department's Materials Sampling Manual.

State of Louisiana
Department of Transportation and Development

Qualified Products List 54

GEAR LUBRICANTS FOR TRANSMISSIONS AND DIFFERENTIALS

PRODUCT SOURCE CODE	PRODUCT	SOURCE
(A) SAE 80W Stock No. 48-60-5516		
5410	Louisiana/Kendall	Kendall Refining Company 77 N. Kendall Avenue Bradford, PA 16701
(B) SAE 80W-90 / 85W-90 Stock Nos. 48-60-5522, 48-60-5525, & 48-60-5527		
5450	Delta Pride GL-5 80/90	Central Oil & Supply / Ward Oil Sales 2268 Wooddale Blvd. Baton Rouge, LA 70806
5437	Gearco 80W90	Chemsearch Division of NCH Corporation P. O. Box 152170 Irving, TX 75015 (formerly National Chemsearch)
5411	Chevron Universal Gear Lubricant, 80W90	Chevron, Inc. P. O. Box 7643 San Francisco, CA 94120
5412	Premium Gear Oil 80W-90	Citgo Petroleum Corporation P. O. Box 3758 Tulsa, OK 74102
5431	Conoco Universal Gear Lubricant, 80W-90	Conoco, Inc. P. O. Box 4784 Houston, TX 77210
5413	Crown GL5-90	Crown Oil & Chemical Company 751 Hill Street Jefferson, LA 70121

QUALIFIED PRODUCTS LIST 54

Rev. 07-01-05

Page 2 of 5

PRODUCT SOURCE CODE	PRODUCT	SOURCE
(B) SAE 80W-90 / 85W-90 (continued) Stock Nos. 48-60-5522, 48-60-5525, & 48-60-5527		
5447	Gear Tec 80W-90	D-A Lubricant Company 1349 West 29 th Street Indianapolis, IN 46208
5414	CTO Fleet Gear Plus GL-5 80W-90	Delta Petroleum Company P. O. Box 10397 Jefferson, LA 70181
5415	Exxon GX 80W-90 Gear Oil	Exxon Company, USA P. O. Box 14788 Baton Rouge, LA 70898
5416	Louisiana/Kendall	Kendall Refining Company
5441	Moly NRG 89 Gear Oil	Kent Oil Company, Inc. P. O. Box 2211 Lakeland, FL 33806
5417	Lubritech Universal Gear Lubricant, 80W-90	Lubritech, Inc. 5504 Jefferson Parkway Pine Bluff, AR 71602
5429	SMP 80W-90	Phillips 66 Company Box 1670 Bartlesville, OK 74005
5418	Texaco 2316 Multigear Lubricant EP 80W-90	Texaco, Inc. P. O. Box 45212, Dept. 386 Baton Rouge, LA 70895
5444	Multigear EP SAE 80W90	Texaco Lubricants Company 780 Clinton Drive Galena Park, TX 77547

QUALIFIED PRODUCTS LIST 54

Rev. 07-01-05

Page 3 of 5

PRODUCT SOURCE CODE	PRODUCT	SOURCE
(B) SAE 80W-90 / 85W-90 (continued) Stock Nos. 48-60-5522, 48-60-5525, & 48-60-5527		
5439	United 921 Gear Oil 90W	United Laboratories, Inc. 320 37 th Avenue St. Charles, IL 60174
5434	Gear Oil 80W90	Valvoline, Inc. P O. Box 14000 Lexington, KY 40512
5419	Lubriguard GL-5 80W90	Westland Oil Company P. O. Box 8098 Shreveport, LA 71148
(C) SAE 85W-140 Stock Nos. 48-60-5560 & 48-60-5565		
5443	AR-380 (85W140)	Armor Research Company 1035 Busch Memorial Highway Pensauken, NJ 08110
5433	L-625 Adhesive Gear Lubricant EP-85/140	Baton Rouge Industries, Inc. P. O. Box 26 Baker, LA 70714
5449	Delta Pride GL-5 85/140	Central Oil Supply / Ward Oil Sales
5448	Gearco 85-140	Chemsearch (formerly National Chemsearch)
5420	Chevron Universal Gear Lubricant, 85W-140	Chevron USA, Inc.
5421	Premium Gear Oil 85W-140	Citgo Petroleum Corporation
5432	Conoco Universal Gear Lubricant, 85W-140	Conoco, Inc.
5422	Crown GL-5 85W-140	Crown Oil & Chemical Company

QUALIFIED PRODUCTS LIST 54

Rev. 07-01-05

Page 4 of 5

PRODUCT SOURCE CODE	PRODUCT	SOURCE
(C) SAE 85W-140 (continued) Stock Nos. 48-60-5560 & 48-60-5565		
5423	CTO Fleet Gear Plus GL-5 85W-140	Delta Petroleum Company
5424	Exxon GX 85W-140	Exxon Company, USA
5446	Super MPGO 85W-140	Industrial Oils Unlimited 7268 West 70 th Street Shreveport, LA 71129
5425	Louisiana/Kendall	Kendall Refining Company
5442	Moly NRG 123 Gear Oil	Kent Oil Company, Inc.
5445	Gear-Tech 85W-140	LubraSystems 1500 E. Northgate Drive Irving, TX 75062
5428	Lubritech Universal Gear Lubricant, 85W-140	Lubritech, Inc.
5426	Mobilube HD 85W-140	Mobil Oil Corporation 5151 Belt Line Road Suite 600 Dallas, TX 75240
5430	SMP 85W-140	Phillips 66 Company
5440	2317 Multigear EP 85W-140	Texaco, Inc.
5438	United 920 Gear Oil 85W-140	United Laboratories, Inc.
5435	Gear Oil 85W140	Valvoline, Inc.

QUALIFIED PRODUCTS LIST 54

Rev. 07-01-05

Page 5 of 5

PRODUCT SOURCE CODE	PRODUCT	SOURCE
(C) SAE 85W-140 (continued) Stock Nos. 48-60-5560 & 48-60-5565		
5427	Lubriguard GL-5 85W140	Westland Oil Company

REFERENCE:

DOTD Maintenance Specifications, DOTD 366-002

NOTE:

All material, regardless of prior approval, shall be sampled in accordance with the Materials Sampling Manual and tested for conformance to the original specification. Any deviation in composition or performance from the original sample submitted may result in removal of the product from the qualified list.

No information contained in this list is to be used for promotional purposes.

Stock Number
48-61-3240
48-61-3250
48-61-3260

FOR REQ. ITEMS
#10, 11 & 12

DOTD Spec. 366-004
Dated June, 1986

**LOUISIANA
DEPARTMENT OF TRANSPORTATION AND DEVELOPMENT
SPECIFICATIONS**

HYDRAULIC OIL

REQUIREMENTS: This material shall be an approved product on the Department's Qualified Products List No. 56. The hydraulic oil shall be a highly refined paraffin-based oil to be used in hydraulic and other circulating systems; also a variety of lubrication applications. Test methods shall be the latest in effect.

**PERCENT OF CONTRACT UNIT PRICE/SHIPMENT
ISO GRADES**

PROPERTY	ASTM TEST METHOD	32 AW			46 AW			68 A		
		Specs.	Deviations		Specs.	Deviations		Specs.	Deviations	
		100	90	Reject	100	90	Reject	100	90	Reject
Flash Point, ° F	D 92	380 +	370-379	369 -	400 +	390-399	389 -	420 +	410-414	409 -
Viscosity, SUS, 210° F	D 88	40-45	35-39	34 -	45-50	40-44	39 -	50-55	45-49	44 -
			46-50	51+		51-55	56+		56-60	61+
Viscosity Index	D 2270*	85 +	80-84	79 -	85 +	80-84	79 -	85 +	80-84	79 -
Pour Point, ° F	D 97	(-15) -	-14 to -10	(-9)+	(-5) -	-4 to 0	1+	5 -	6 to 10	11 +

* The viscosity values used in the calculation of viscosity index shall be those derived from the test for viscosity, SUS @ 100° F and @ 210° F by ASTM D 88.

These oils shall be fortified with anti-foam, oxidation and rust inhibitors, plus contain an anti-wear additive. These oils are intended for use in systems incorporating a vane, gear or piston type pump (e.g. Vickers, Racine, Denison).

MATERIAL CERTIFICATION: Bidders to include with their bid, documentation that their proposed products possess the properties as outlined in this specification and that they will satisfactorily perform in hydraulic pumps made by such manufacturers as Vickers, Racine or Denison.

SAMPLING: Sampling shall be in accordance with the Department's Materials Sampling Manual.

State of Louisiana
Department of Transportation and Development

Qualified Products List 56

HYDRAULIC OIL

PRODUCT SOURCE CODE	PRODUCT	SOURCE
(A) ISO GRADE 32 AW Stock no. 48-61-3240		
5612	Arkla CTH 32Z Code 07751	Arkla Chemical Corporation P. O. Box 21734 Shreveport, LA 71151
5663	SuperCal AW-32	Calumet Lubricants Co. 3333 Midway Avenue Shreveport, LA 71109
5666	Wearguard AW-32	Central Oil & Supply / Ward Oil Sales 2268 Wooddale Blvd. Baton Rouge, LA 70806
5660	Hydraulic Fluid 32	Chemsearch Division of NCH Corporation P. O. Box 152170 Irving, TX 75015
5613	Chevron AW Hydraulic Oil 32	Chevron USA, Inc. P. O. Box 7643 San Francisco, CA 94120
5616	AW32 Hydraulic Oil	Citgo Petroleum Corporation P. O. Box 3758 Tulsa, OK 74102
5648	Conoco Super Hydraulic Oil, ISO 32	Conoco, Inc. P. O. Box 4784 Houston, TX 77210

QUALIFIED PRODUCTS LIST 56

Rev. 07-01-05

Page 2 of 6

PRODUCT SOURCE CODE	PRODUCT	SOURCE
(A) ISO GRADE 32AW (continued) Stock No. 48-61-3240		
5621	Crown Premium Hydraulic AW-32	Crown Oil & Chemical Company 751 Hill Street Jefferson, LA 70121
5624	CTO Hy Power Plus AW-32	Delta Petroleum Company P. O. Box 10397 Jefferson, LA 70181
5627	Exxon Nuto H-ISO-32AW	Exxon Company, USA P. O. Box 14788 Baton Rouge, LA 70898
5644	Lubritech Antiwear Hydraulic Oil ISO 32	Lubritech, Inc. 5504 Jefferson Parkway Pine Bluff, AR 71602
5630	Mobil Hydraulic Oil AW-32	Mobil Oil Corporation 5151 Belt Line Road Suite 600 Dallas, TX 75240
5645	Magnus A32	Phillips 66 Company Box 1670 Bartlesville, OK 74005
5633	Shell Tellus 32	Shell Oil Company P. O. Box 100314 Atlanta, GA 30384
5636	Texaco 1657 Rando HD32	Texaco, Inc. P. O. Box 45212, Dept. 386 Baton Rouge, LA 70895
5652	Hydraulic Oil ISO 32	Valvoline, Inc. P. O. Box 14000 Lexington, KY 40512

QUALIFIED PRODUCTS LIST 56

Rev. 07-01-05

Page 3 of 6

PRODUCT SOURCE CODE	PRODUCT	SOURCE
(A) ISO GRADE 32AW (continued) Stock No. 48-61-3240		
5639	Lubriguard 3000 AW-32	Westland Oil Company P. O. Box 8098 Shreveport, LA 71148
(B) ISO GRADE 46 AW Stock No. 48-61-3250		
5664	SuperCal AW-48	Calumet Lubricants Co.
5667	Wearguard AW-46	Central Oil & Supply / Ward Oil Sales
5661	Hydraulic Fluid 46	Chemsearch
5614	Chevron AW Hydraulic Oil 46	Chevron USA, Inc.
5617	AW46 Hydraulic Oil	Citgo Petroleum Corporation
5619	Conoco Super Hydraulic 46	Conoco, Inc.
5622	Crown Premium Hydraulic AW-46	Crown Oil & Chemical Company
5625	CTO Hy Power Plus AW-46	Delta Petroleum Company
5628	Exxon Nuto H-ISO-46AW	Exxon Company, USA
5658	Superfilm AW-46	Industrial Oils Unlimited 7268 West 70 th Street Shreveport, LA 71129
5656	Moly NRG Hydro-Servoil #304	Kent Oil Company, Inc. P. O. Box 2211 Lakeland, FL 33806

QUALIFIED PRODUCTS LIST 56

Rev. 07-01-05

Page 4 of 6

PRODUCT SOURCE CODE	PRODUCT	SOURCE
(B) ISO GRADE 46 AW (continued) Stock No. 4-61-3250		
5642	Lubritech Anti-Wear Hydraulic Oil ISO 46	Lubritech
5631	Mobil Hydraulic Oil AW-46	Mobil Oil Corporation
5646	Magnus A46	Phillips 66 Company
5634	Shell Tellus 46	Shell Oil Company
5637	Texaco 1658 Rando HD46	Texaco, Inc.
5650	Hydraulic Oil ISO 46	Valvoline, Inc.
5640	Lubriguard 3000 AW-46	Westland Oil Company
(C) ISO GRADE 68 AW Stock No. 48-61-3260		
5649	L-609 Turbine Grade ISO-68	Baton Rouge Industries, Inc. P. O. Box 26 Baker, LA 70714
5665	SuperCal AW-68	Calumet Lubricants Co.
5668	Wearguard AW-68	Central Oil & Supply / Ward Oil Sales
5662	Hydraulic Fluid 68	Chemsearch
5615	Chevron AW Hydraulic Oil 68	Chevron USA, Inc.
5618	AW68 Hydraulic Oil	Citgo Petroleum Corporation

QUALIFIED PRODUCTS LIST 56

Rev. 07-01-05
Page 5 of 6

PRODUCT SOURCE CODE	PRODUCT	SOURCE
(C) ISO GRADE 68 AW (continued) Stock No. 48-61-3260		
5620	Conoco Super Hydraulic 68	Conoco, Inc.
5623	Crown Premium Hydraulic AW-68	Crown Oil & Chemical Company
5626	CTO Hy Power Plus AW-68	Delta Petroleum Company
5629	Exxon Nuto H-ISO-68	Exxon Company, USA
5659	Superfilm AW-68	Industrial Oils Unlimited
5657	Moly NRG Hydro-Servoil #305	Kent Oil Company, Inc.
5643	Lubritech Anti-Wear Hydraulic Oil ISO 68	Lubritech, Inc.
5632	Mobil Hydraulic Oil AW-68	Mobil Oil Corporation
5647	Magnus A68	Phillips 66 Company
5635	Shell Tellus 68	Shell Oil Company
5638	Texaco 1659 Rando HD68	Texaco, Inc.
5651	Hydraulic Oil ISO 68	Valvoline, Inc.
5641	Lubriguard 3000 AW-68	Westland Oil Company

QUALIFIED PRODUCTS LIST 56

Rev. 07-01-05

Page 6 of 6

REFERENCE:

DOTD Maintenance Specifications, MS-366-004

NOTE:

All material, regardless of prior approval, shall be sampled in accordance with the Materials Sampling Manual and tested for conformance to the original specification. Any deviation in composition or performance from the original sample submitted may result in removal of the product from the qualified list.

No information contained in this list is to be used for promotional purposes.

Stock Number
 48-62-0410 48-62-0510
 48-62-0430 48-62-0511
 48-62-0440 48-62-0515

FOR REQ. ITEMS
 #13, 14, 15, 16
 & 18

DOTD Spec. 366-001
 Rev. 3/27/2006

**LOUISIANA
 DEPARTMENT OF TRANSPORTATION AND DEVELOPMENT
 SPECIFICATIONS**

LUBRICATING OIL FOR INTERNAL COMBUSTION ENGINES

REQUIREMENTS: This material shall be an approved product on the Department's Qualified Products List No. 53. Lubricating oils shall be free from water and other detrimental material and shall meet the following requirements. Test methods shall be the latest in effect.

**PERCENT OF CONTRACT UNIT PRICE/SHIPMENT
 SAE GRADES**

PROPERTY	ASTM TEST METHOD	10W			20W-20			30		
		<u>Specs.</u>	<u>Deviations</u>		<u>Specs.</u>	<u>Deviations</u>		<u>Specs.</u>	<u>Deviations</u>	
		100	90	Reject	100	90	Reject	100	90	Reject
Flash Point, °F	D 92	390+	370-389	369-	415+	390-414	389-	425+	405-424	404-
Viscosity, SUS, 210°F	D 88	40+	35-39	34-	50-60	45-49	44-	60-70	55-59	54-
						61-65	66+		71-75	76+
Viscosity, CP, 0°F, max.	D 2602	2400			9600					
Viscosity Index	D 2270*	100+	95-99	94-	95+	90-94	89-	90+	85-89	84-
Pour Point, °F	D 97	(-20)-	-19 to -15	(-14)+	(-10)-	-9 to -5	(-4)+	0-	1 to 5	6+

PROPERTY	ASTM TEST METHOD	40			10W/30**			15W/40		
		<u>Specs.</u>	<u>Deviations</u>		<u>Specs.</u>	<u>Deviations</u>		<u>Specs.</u>	<u>Deviations</u>	
		100	90	Reject	100	90	Reject	100	90	Reject
Flash Point, °F	D 92	430+	410-429	409-	400+	390-399	389-	410+	400-409	399-
Viscosity, SUS, 210°F	D 88	70-80	65-69	64-	60-70	55-59	54-	70-80	65-69	64-
			81-85	86+		71-75	76+		81-85	86+
Viscosity Index	D 2270*	90+	85-89	84-	120+	115-119	114-	120+	115-119	114-
Pour Point, °F	D 97	10-	11 to 15	16+	(-20)-	-19 to -15	(-14)+	(-10)-	-9 to -5	(-4)+

* The viscosity values used in the calculation of viscosity index shall be those derived from viscosity SUS @ 100°F and 210°F by ASTM D 88.

In addition to meeting the above test, the oil shall also comply with the requirements of the American Petroleum Institute performance categories, SH AND CF, CF-2, CF-4, CG-4.

** It shall be labeled Energy Conserving II.

SAMPLING: Sampling shall be in accordance with the Department's Materials Sampling Manual.

State of Louisiana
Department of Transportation and Development

Qualified Products List 53

LUBRICATING OIL***For Internal Combustion Engine Use*

PRODUCT SOURCE CODE	PRODUCT	SOURCE
(A) SAE 10W - STOCK NO. 48-62-0410		
5314	Amoco 300	Amoco Oil Company 2831 Indianapolis Blvd. Whiting, IN 46394
5316	Arkla Super Exp. 074-561 SAE 10	Arkla Chemical Corporation P. O. Box 21734 Shreveport, LA 71151
5399	Premium Motor Oil SAE 10	Chemsearch Division of NCH Corporation P. O. Box 152170 Irving, TX 75015
5320	Chevron Delo 400-10W	Chevron USA, Inc. P. O. Box 7643 San Francisco, CA 94120
5325	C-500 SAE 10W	Citgo Petroleum Corporation P. O. Box 3758 Tulsa, OK 74102
5329	Conoco Fleet 10W	Conoco, Inc. P. O. Box 4784 Houston, TX 77210
5334	Crown GP-3 SAE 10W	Crown Oil & Chemical Company 751 Hill Street Jefferson, LA 70121

QUALIFIED PRODUCTS LIST 53

Rev. 01-01-06
Page 2 of 8

PRODUCT SOURCE CODE	PRODUCT	SOURCE
(A) SAE 10W - STOCK NO. 48-62-0410 (continued)		
5341	Exxon XD-3 SAE 10W	Exxon Company, USA P. O. Box 14788 Baton Rouge, LA 70898
5347	Mobil Delvac 1210 SAE 10W	Moil Oil Corporation 5151 Belt Line Road Suite 600 Dallas, TX 75240
5374	Super HD II 10W	Phillips 66 Company Box 1670 Bartlesville, OK 74005
5353	2110 URSA SP-10W	Texaco, Inc. P. O. Box 45212, Dept. 386 Baton Rouge, LA 70895
5383	Super HPO 10W	Valvoline, Inc. P. O. Box 14000 Lexington, KY 40512
5358	Lubriguard Series 3-10	Westland Oil Company P. O. Box 8098 Shreveport, LA 71148
(B) SAE 20W - STOCK NO.:		
53AB	Premium Motor Oil SAE 20W-20	Chemsearch
5321	Chevron Delo 400-20W/20	Chevron USA, Inc.
5326	C-500 20W-20	Citgo Petroleum Corporation
5330	Conoco Super 20W-20	Conoco, Inc.
5335	Crown GP-3 SAE 20W	Crown Oil & Chemical Company

State of Louisiana
Department of Transportation and Development

Qualified Products List 53

LUBRICATING OIL*

**For Internal Combustion Engine Use*

PRODUCT SOURCE CODE	PRODUCT	SOURCE
(A) SAE 10W - STOCK NO. 48-62-0410		
5314	Amoco 300	Amoco Oil Company 2831 Indianapolis Blvd. Whiting, IN 46394
5316	Arkla Super Exp. 074-561 SAE 10	Arkla Chemical Corporation P. O. Box 21734 Shreveport, LA 71151
5399	Premium Motor Oil SAE 10	Chemsearch Division of NCH Corporation P. O. Box 152170 Irving, TX 75015
5320	Chevron Delo 400-10W	Chevron USA, Inc. P. O. Box 7643 San Francisco, CA 94120
5325	C-500 SAE 10W	Citgo Petroleum Corporation P. O. Box 3758 Tulsa, OK 74102
5329	Conoco Fleet 10W	Conoco, Inc. P. O. Box 4784 Houston, TX 77210
5334	Crown GP-3 SAE 10W	Crown Oil & Chemical Company 751 Hill Street Jefferson, LA 70121

PRODUCT SOURCE CODE	PRODUCT	SOURCE
(A) SAE 10W - STOCK NO. 48-62-0410 (continued)		
5341	Exxon XD-3 SAE 10W	Exxon Company, USA P. O. Box 14788 Baton Rouge, LA 70898
5347	Mobil Delvac 1210 SAE 10W	Moil Oil Corporation 5151 Belt Line Road Suite 600 Dallas, TX 75240
5374	Super HD II 10W	Phillips 66 Company Box 1670 Bartlesville, OK 74005
5353	2110 URSA SP-10W	Texaco, Inc. P. O. Box 45212, Dept. 386 Baton Rouge, LA 70895
5383	Super HPO 10W	Valvoline, Inc. P. O. Box 14000 Lexington, KY 40512
5358	Lubriguard Series 3-10	Westland Oil Company P. O. Box 8098 Shreveport, LA 71148
(B) SAE 20W - STOCK NO. 48-62-0420		
53AB	Premium Motor Oil SAE 20W-20	Chemsearch
5321	Chevron Delo 400-20W/20	Chevron USA, Inc.
5326	C-500 20W-20	Citgo Petroleum Corporation
5330	Conoco Super 20W-20	Conoco, Inc.
5335	Crown GP-3 SAE 20W	Crown Oil & Chemical Company

PRODUCT SOURCE CODE	PRODUCT	SOURCE
(B) SAE 20W - STOCK NO. 48-62-0420 (continued)		
5342	Exxon XD-3 20W	Exxon Company, USA
5348	Mobil Delvac 1220 SAW 20 W-20	Mobil Oil Corporation
5375	Super HD II 20W-20	Phillips 66 Company
5354	2111 URSA SP-SAE 20	Texaco, Inc.
(C) SAE 30W - STOCK NO. 48-62-0430		
5317	Arkla Super Exp. 074-570 SAE 30	Arkla Chemical Corporation
53AG	Wearguard HD30	Central Oil & Supply / Ward Oil Sales 2268 Wooddale Blvd. Baton Rouge, LA 70806
53AC	Premium Motor Oil SAE 30	Chemsearch
5322 5370	Chevron Delo 400-30W Chevron RPM Delo 30	Chevron USA, Inc.
5327	C-500 SAE 30W	Citgo Petroleum Corporation
5331	Conoco Fleet SAE 30	Conoco, Inc.
5336	Crown GP-3 SAE 30W	Crown Oil & Chemical Company
5362	CTO All Fleet 30W	Delta Petroleum Company P. O. Box 10397 Jefferson, LA 70181
5343	XD-3 SAE 30W	Exxon Company, USA

PRODUCT SOURCE CODE	PRODUCT	SOURCE
(C) SAE 30W - STOCK NO. 48-62-0430 (continued)		
5371	Lubritech Heavy Duty Motor Oil - SAE 30	Lubritech, Inc. 5504 Jefferson Parkway Pine Bluff, AR 71602
5349	Mobil Delvac 1230 SAE 30W	Mobil Oil Corporation
5376	Super HD II 30	Phillips 66 Company
5366	Shell Rotella T-30	Shell Oil Company P. O. Box 100314 Atlanta, GA 30384
5355	2112 URSA SP-SAE 30	Texaco, Inc.
5384 5386	Super HPO 30 All Fleet Plus 30	Valvoline, Inc.
5359	Lubriguard Series 3-30	Westland Oil Company
(D) SAE 40W - STOCK NO. 48-62-0440		
5318	Arkla Super Exp. 074-581 40W	Arkla Chemical Corporation
53AH	Wearguard HD40	Central Oil & Supply / Ward Oil Sales
5323	Chevron Delo 400-40W	Chevron USA, Inc.
5381	Conoco Fleet SAE 40	Conoco, Inc.
5337	Crown GP-3 SAE 40W	Crown Oil & Chemical Company
5363	CTO All Fleet 40W	Delta Petroleum Company

PRODUCT SOURCE CODE	PRODUCT	SOURCE
(D) SAE 40W - STOCK NO. 48-62-0440 (continued)		
5344	XD-3 SAE 40W	Exxon Company, USA
5372	Lubritech Heavy Duty Motor Oil, SAE 40	Lubritech, Inc.
5350	Mobil Delvac 1240 SAE 40W	Mobil Oil Corporation
5377	Super HD II 40	Phillips 66 Company
5367	Shell Rotella T-40	Shell Oil Company
5356	2113 URSA SP-SAE 40	Texaco, Inc.
5385 5387	Super HPO 40 ALL Fleet Plus 40	Valvoline, Inc.
(E) SAE 10W-30 - STOCK NOS. 48-62-0510 and 48-62-0511		
53AE	SuperCal 10W-30	Calumet Lubricants Co. 3333 Midway Avenue Shreveport, LA 71109
53AI	Wearguard HD 10W30	Central Oil & Supply / Ward Oil Sales
5328	Citgo All Season 10W-30	Citgo Petroleum Corporation
5332	Conoco Super 10W-30	Conoco, Inc.
5338 5339	Crown GP-3 10W-30 Crown HD 10W-30	Crown Oil & Chemical Company
5364	CTO Multi-Vis 10W-30	Delta Petroleum Company
5345	Exxon Extra 10W-30	Exxon Company, USA

PRODUCT SOURCE CODE	PRODUCT	SOURCE
(E) SAE 10W-30 - STOCK NOS. 48-62-0510 and 48-62-0511 (continued)		
53AD	ExxonMobil SuperFlo 10W-30	ExxonMobil 2230 Highway 1 Port Allen, LA 70767
5351	Mobil Super 10W-30	Mobil Oil Corporation
5394	Hymaster 10W-30	LubraSystems 1500 E. Northgate Drive Irving, TX 75062
5379	Trop-Arctic 10W-30 Turbo	Phillips 66 Company
5380	Texaco Havoline 10W30	Texaco, Inc.
5388	All Climate 10W30	Valvoline, Inc.
5360	Lubriguard Multigrade 10W30	Westland Oil Company
(F) SAE 15W-40 - STOCK NO. 48-62-0515		
5315	Amoco 300 Super Duty 15W-40	Amoco Oil Company
5319	Arkla Super Exp. 074-591 SAE 15W-40	Arkla Chemical Corporation
5382	L-605 SAE 15W40	Baton Rouge Industries, Inc. P. O. Box 26 Baker, LA 70714
53AF	SuperCal 15W-40	Calumet Lubricants Col
53AJ	Wearguard HD 15W40	Central Oil & Supply / Ward Oil Sales
53AA	Premium Motor Oil 15W-40	Chemsearch

PRODUCT SOURCE CODE	PRODUCT	SOURCE
(F) SAE 15W-40 - STOCK NO. 48-62-0515 (continued)		
5324	Chevron RPM Delo 15W/40	Chevron USA, Inc.
5398	Coastal Fleet 15W-40	Coastal Unilube, Inc. 1200 South Eighth West Memphis, AR 72301
5333	Conoco Fleet Supreme SAE 15W-40	Conoco, Inc.
5340	Crown GR-3 15W-40	Crown Oil & Chemical Company
5397	Reliant 2000 15W-40	D-A Lubricant Company 1349 West 29 th Street Indianapolis, IN 46208
5365	CTO All Fleet 15W-40	Delta Petroleum Company
5346	XD-3 Extra 15W-40	Exxon Company, USA
5395	Powerline E. O. 15W-40	LubraSystems
5373	Lubritech SAE 15W-40 Multi-Grade Motor Oil	Lubritech, Inc.
5352	Mobil Delvac 1200 Super SAE 15W-40	Mobil Oil Corporation
5378	Super HD II 15W-40	Phillips 66 Company
5368	Shell Rotella T-15W-40	Shell Oil Company
5357	2109 USRA SP-SAE 15W-40	Texaco, Inc.

PRODUCT SOURCE CODE	PRODUCT	SOURCE
(F) SAE 15W-40 - STOCK NO. 48-62-0515 (continued)		
5389	All Fleet Plus 15W40	Valvoline, Inc.
5361	Lubriguard Universal 15W-40	Westland Oil Company

REFERENCE:

DOTD Maintenance Specifications, DOTD 366-001

NOTE:

All material, regardless of prior approval, shall be sampled in accordance with the Materials Sampling Manual and tested for conformance to the original specification. Any deviation in composition or performance from the original sample submitted may result in removal of the product from the qualified list.

No information contained in this list is to be used for promotional purposes.

QUALIFIED PRODUCTS LIST 53

Rev. 01-01-06

Page 3 of 8

PRODUCT SOURCE CODE	PRODUCT	SOURCE
(B) SAE 20W - STOCK NO		(continued)
5342	Exxon XD-3 20W	Exxon Company, USA
5348	Mobil Delvac 1220 SAW 20 W-20	Mobil Oil Corporation
5375	Super HD II 20W-20	Phillips 66 Company
5354	2111 URSA SP-SAE 20	Texaco, Inc.
(C) SAE 30W - STOCK NO. 48-62-0430		
5317	Arkla Super Exp. 074-570 SAE 30	Arkla Chemical Corporation
53AG	Wearguard HD30	Central Oil & Supply / Ward Oil Sales 2268 Wooddale Blvd. Baton Rouge, LA 70806
53AC	Premium Motor Oil SAE 30	Chemsearch
5322 5370	Chevron Delo 400-30W Chevron RPM Delo 30	Chevron USA, Inc.
5327	C-500 SAE 30W	Citgo Petroleum Corporation
5331	Conoco Fleet SAE 30	Conoco, Inc.
5336	Crown GP-3 SAE 30W	Crown Oil & Chemical Company
5362	CTO All Fleet 30W	Delta Petroleum Company P. O. Box 10397 Jefferson, LA 70181
5343	XD-3 SAE 30W	Exxon Company, USA

QUALIFIED PRODUCTS LIST 53

Rev. 01-01-06

Page 4 of 8

PRODUCT SOURCE CODE	PRODUCT	SOURCE
(C) SAE 30W - STOCK NO. 48-62-0430 (continued)		
5371	Lubritech Heavy Duty Motor Oil - SAE 30	Lubritech, Inc. 5504 Jefferson Parkway Pine Bluff, AR 71602
5349	Mobil Delvac 1230 SAE 30W	Mobil Oil Corporation
5376	Super HD II 30	Phillips 66 Company
5366	Shell Rotella T-30	Shell Oil Company P. O. Box 100314 Atlanta, GA 30384
5355	2112 URSA SP-SAE 30	Texaco, Inc.
5384 5386	Super HPO 30 All Fleet Plus 30	Valvoline, Inc.
5359	Lubriguard Series 3-30	Westland Oil Company
(D) SAE 40W - STOCK NO. 48-62-0440		
5318	Arkla Super Exp. 074-581 40W	Arkla Chemical Corporation
53AH	Wearguard HD40	Central Oil & Supply / Ward Oil Sales
5323	Chevron Delo 400-40W	Chevron USA, Inc.
5381	Conoco Fleet SAE 40	Conoco, Inc.
5337	Crown GP-3 SAE 40W	Crown Oil & Chemical Company
5363	CTO All Fleet 40W	Delta Petroleum Company

QUALIFIED PRODUCTS LIST 53

Rev. 01-01-06

Page 5 of 8

PRODUCT SOURCE CODE	PRODUCT	SOURCE
(D) SAE 40W - STOCK NO. 48-62-0440 (continued)		
5344	XD-3 SAE 40W	Exxon Company, USA
5372	Lubritech Heavy Duty Motor Oil, SAE 40	Lubritech, Inc.
5350	Mobil Delvac 1240 SAE 40W	Mobil Oil Corporation
5377	Super HD II 40	Phillips 66 Company
5367	Shell Rotella T-40	Shell Oil Company
5356	2113 URSA SP-SAE 40	Texaco, Inc.
5385 5387	Super HPO 40 ALL Fleet Plus 40	Valvoline, Inc.
(E) SAE 10W-30 - STOCK NO. 48-62-0510 & 48-62-0511		
53AE	SuperCal 10W-30	Calumet Lubricants Co. 3333 Midway Avenue Shreveport, LA 71109
53AI	Wearguard HD 10W30	Central Oil & Supply / Ward Oil Sales
5328	Citgo All Season 10W-30	Citgo Petroleum Corporation
5332	Conoco Super 10W-30	Conoco, Inc.
5338 5339	Crown GP-3 10W-30 Crown HD 10W-30	Crown Oil & Chemical Company
5364	CTO Multi-Vis 10W-30	Delta Petroleum Company
5345	Exxon Extra 10W-30	Exxon Company, USA

QUALIFIED PRODUCTS LIST 53

Rev. 01-01-06

Page 6 of 8

PRODUCT SOURCE CODE	PRODUCT	SOURCE
(E) SAE 10W-30 - STOCK NO. 48-62-0510 (continued)		48-62-0511
53AD	ExxonMobil SuperFlo 10W-30	ExxonMobil 2230 Highway 1 Port Allen, LA 70767
5351	Mobil Super 10W-30	Mobil Oil Corporation
5394	Hymaster 10W-30	LubraSystems 1500 E. Northgate Drive Irving, TX 75062
5379	Trop-Arctic 10W-30 Turbo	Phillips 66 Company
5380	Texaco Havoline 10W30	Texaco, Inc.
5388	All Climate 10W30	Valvoline, Inc.
5360	Lubriguard Multigrade 10W30	Westland Oil Company
(F) SAE 15W-40 - STOCK NO. 48-62-0515		
5315	Amoco 300 Super Duty 15W-40	Amoco Oil Company
5319	Arkla Super Exp. 074-591 SAE 15W-40	Arkla Chemical Corporation
5382	L-605 SAE 15W40	Baton Rouge Industries, Inc. P. O. Box 26 Baker, LA 70714
53AF	SuperCal 15W-40	Calumet Lubricants Col
53AJ	Wearguard HD 15W40	Central Oil & Supply / Ward Oil Sales
53AA	Premium Motor Oil 15W-40	Chemsearch

QUALIFIED PRODUCTS LIST 53

Rev. 01-01-06
Page 7 of 8

PRODUCT SOURCE CODE	PRODUCT	SOURCE
(F) SAE 15W-40 - STOCK NO. 48-62-0515 (continued) & 48-62-0516		
5324	Chevron RPM Delo 15W/40	Chevron USA, Inc.
5398	Coastal Fleet 15W-40	Coastal Unilube, Inc. 1200 South Eighth West Memphis, AR 72301
5333	Conoco Fleet Supreme SAE 15W-40	Conoco, Inc.
5340	Crown GR-3 15W-40	Crown Oil & Chemical Company
5397	Reliant 2000 15W-40	D-A Lubricant Company 1349 West 29 th Street Indianapolis, IN 46208
5365	CTO All Fleet 15W-40	Delta Petroleum Company
5346	XD-3 Extra 15W-40	Exxon Company, USA
5395	Powerline E. O. 15W-40	LubraSystems
5373	Lubritech SAE 15W-40 Multi-Grade Motor Oil	Lubritech, Inc.
5352	Mobil Delvac 1200 Super SAE 15W-40	Mobil Oil Corporation
5378	Super HD II 15W-40	Phillips 66 Company
5368	Shell Rotella T-15W-40	Shell Oil Company
5357	2109 USRA SP-SAE 15W-40	Texaco, Inc.

QUALIFIED PRODUCTS LIST 53

Rev. 01-01-06

Page 8 of 8

PRODUCT SOURCE CODE	PRODUCT	SOURCE
(F) SAE 15W-40 - STOCK NO. 48-62-0515 (continued)		48-62-0516
5389	All Fleet Plus 15W40	Valvoline, Inc.
5361	Lubriguard Universal 15W-40	Westland Oil Company

REFERENCE:

DOTD Maintenance Specifications, DOTD 366-001

NOTE:

All material, regardless of prior approval, shall be sampled in accordance with the Materials Sampling Manual and tested for conformance to the original specification. Any deviation in composition or performance from the original sample submitted may result in removal of the product from the qualified list.

No information contained in this list is to be used for promotional purposes.

Stock Number
48-64-4390

FOR REQ. ITEM #17

DOTD Spec. 366-009
Rev. August 23, 2005

LOUISIANA
DEPARTMENT OF TRANSPORTATION AND DEVELOPMENT
SPECIFICATIONS

OIL, LUBRICATING, FOR TWO CYCLE ENGINE

Oil, lubricating, for two cycle engine, outboard, NMMA Certified, for TC-W service, furnished one pint per can, Amoco Snowmobile No. 50-1, Exxon Aqua-Glide, Texaco No. 1592-50-1, Valvoline TCW III, Kendall No. GT-1, Exxon Superflo 2 cycle or approved equal.

Bidders quoting on alternate brands to furnish descriptive literature with bid. If descriptive literature is not furnished bid will not be considered for award.

Low bidder may be required to submit a sample for alternate brands at vendor's expense. If requested, sample must be received within ten (10) days from date of request. Package should be clearly labeled with company name, brand name and number and DOTD's Purchase Requisition Number.